### REMARKS

Claims 1 - 20 are pending in the present Application. above-identified Office Examiner Action, the In the rejected the independent claims (1.e., Claims 1, 6, 11 and under 35 U.S.C. \$112, second paragraph, indefinite for failing to point out and distinctly claim the subject matter of the invention. Claims 1 - 20 were rejected under 35 U.S.C. \$103(a) as being unpatentable over Johnson, II, et al. in view of Dev et al.

Applicants have amended the Specification to include the Serial Nos. of all Related Applications. In response Applicants have amended 112 rejections, independent claims (i.e., Claims 1, 5, 11 and 16). the dependent claims (Claims 2, 3, 7, 12, 13, 15 and 17 -20) have also been amended to better claim the invention.

Before proceeding further, Applicants' attorney would like to greatly thank the Examiner for the interview of In that interview, Applicants' attorney March 17, 2005. agreed with the Examiner that the independent claims were too open-ended and agreed to further narrow the claims. Consequently, the independent claims have all been amended to specifically state that the command is ONLY dispatched to the systems that are determined to be accessible.

For the reasons stated more fully below, Applicants submit that the currently- amended claims are allowable Hence, reconsideration, over the applied references. allowance and passage to issue are respectfully requested.

SPECIFICATION, today's in the environment, a network may consist of different computer

# AUS920010901US1

# Page 8 of 13

systems running under different operating systems and using software management utilities. administrator typically adds and configures new computer user accounts, installs systems, sets up software, allocates mass storage space etc. In short, the administrator ensures that the network system operational and is running at its optimum. To perform this task, the system administrator periodically runs tests and executes management commands on the various systems in When running these tests, network. the conceivable that errors may occur. To minimize these errors, therefore, it would be convenient not to run commands on systems that are not operable. The present invention ensures that remote commands are only sent to operable systems for execution.

In accordance with the teachings of the invention, when a command, to be executed on remote computer systems, is entered in a local command interface, a check is automatically made to determine each of the computer systems accessibility. The command may then be sent only to the computer systems that have been determined to be accessible.

The invention is set forth in claims of varying scopes of which Claim 1 reproduced on the next page is illustrative.

## AUS920010901US1

## Page 9 of 13

> executing 1. A method of remote computer systems commands on comprising the steps of:

> entering a remote command in a local command interface, said command to be executed by said computer systems;

> automatically determining each of said computer systems accessibility; and dispatching said command only to the computer systems that are determined to be accessible. (Emphasis added.)

The Examiner admitted that Johnson, II et al. fail to teach the step of automatically determining each of the computer systems accessibility. Nonetheless, the Examiner In support for the rejection, the rejected the claims. Examiner stated that Dev et al. teach the step of polling network entities for monitoring the status of the entities. the Examiner reasoned, it would have been Therefore, obvious for one of ordinary skill in the art to modify the teachings of Johnson II, et al. to arrive at the claimed invention. Applicants respectfully disagree for following reasons.

The Examiner asserted that Johnson, II et al. disclose the step of dispatching the command to the network systems that are determined to be accessible. As the Examiner correctly pointed out, Johnson, II et al. do not teach the step of automatically determining the accessibility of Since Johnson, II et al. do not managed computer systems. teach this step, they would not disclose the step of dispatching commands only to computer systems that are accessible. Thus, Applicants submit that Johnson, II et

AUS920010901US1

#### Page 10 of 13

al. do not teach the step of dispatching a command ONLY to the computer systems that are determined to be accessible.

Secondly, the Examiner asserted that Dev et al. teach the step of polling network entities for monitoring the status of the entities. Although Dev et al. do purport to disclose a method of polling network devices for monitoring the status of the devices, they do not teach, show or so much as suggest the step of automatically determining computer systems accessibility and dispatching a command only to the computer systems that are determined to be accessible as claimed.

Therefore, if one were to combine the teachings of Johnson, II et al. with those of Dev et al., the combination would not include the steps of automatically determining computer systems accessibility and dispatching a command only to the computer systems that are determined to be accessible since neither reference teaches that step.

However, even if Dev et al. did suggest the step of automatically determining devices accessibility in order to send commands to those devices that are accessible, there would not be any reason for someone skilled in the art to combine the teachings of Johnson, II et al. with those of Dev et al. to arrive at the invention.

Johnson, II et al. purport to teach a system and method for evaluating the operation of a computer over a In so doing, Johnson, II et al. disclose computer network. permits user, such as а network that а scheme administrator, to remotely initiate and control diagnostics of a node of a networked system. That is, Johnson, II et al. disclose a system in which a user may

#### AUS920010901US1

#### Page 11 of 13

diagnostic routine that is to be executed. This diagnostic routine may instruct a managed node to collect configuration or other data and relay the data back to the diagnostic control, which may then be reported to the user. The data may indicate whether a malfunctioning application on the node, such as a print server, is "pingable" (see column 7, lines 15-34).

Thus, Johnson, II et al. specifically teach that the node of the managed system is to be contacted to retrieve diagnostic information. Indeed, it should be noted that Johnson, II et al., as the Examiner AGAIN correctly pointed out, twice specifically mentioned that some devices may be "pinged" or polled. But, Johnson, II et al. never once mentioned that non-responsive "pinged" or polled devices should not be contacted.

In view of the that Johnson, ΙI al. fact et specifically teach that devices of a managed system are to be contacted to retrieve diagnostic information and never mentioned that non-responsive "pinged" or polled devices are not to be contacted where there were occasions to do so in the disclosure, the teachings of Johnson, II et al. cannot be combined with those of Dev et al., which in this case, would teach the step of automatically determining computer systems accessibility and dispatching a command only to the computer systems that are determined to be accessible.

Therefore, Applicants submit that Claim 1, as well as its dependent claims, should be allowable. Independent Claims 6, 11 and 16, which all incorporate the above-emboldened-italicized limitations in the above-reproduced

#### AUS920010901US1

### Page 12 of 13

claim 1, together with their dependent claims should also be allowable. Hence, Applicants once more respectfully request reconsideration, allowance and passage to issue of the claims in the application.

Respectfully submitted Sanap F. Abde hadi

By:

Volel Emile

Attorney for Applicants Registration No. 39,969 (512) 306-7969

AU\$920010901US1